

8242 DECT Handset

Alcatel-Lucent OpenTouch™ Suite for MLE





This document describes the services offered by the 8242 DECT Handset connected to an OmniPCX Enterprise system.

Operating conditions

This approved DECT telephone is intended to be used with an ALE International cordless PABX. The following conditions must be respected, notably concerning the use of radioelectric frequencies:

- Changes or modifications to the equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- To limit the risk of interference, people with pacemakers must keep the wireless telephone away from their equipment (minimum distance of 15 cm/6 inches).
- It is recommended to follow the standard acceptance procedures before using this equipment in human safety critical areas (hospitals...).
- DECT equipment can only be used to establish links between fixed points if these links are temporary.
- The conditions of access to a DECT equipment telepoint network shall be stipulated by contract with the operator of the authorized telepoint network concerned.
- Do not expose your telephone to severe conditions (rain, sea air, dust, etc.).
- Switch off the telephone before changing the battery.
- You must not switch on or use your telephone near gas or inflammable liquids.
- The headset includes magnetic elements that may attract sharp metallic objects.
- There is a danger of explosion if the battery is replaced incorrectly. Use only recommended battery Alcatel-Lucent 3BN67332AA (Dongguan DRN New Energy Co. Ltd. RTR001FXX Li-ion 3.7V 1100mAh 4.1Wh).
- The mains power socket used must be close to the charger/holder and easily accessible, so that it can be used as an 'on/off' facility.
- Charge the battery for about 6 hours before initial use.
- Use the following 82x2 DECT Handset charging units:
 - 8232 DECT Handset Desktop charger (3BN67331AA).
 - o 8232-8242 DECT Handset Desktop charger (3BN67331AB).
- With the following Power Supply Units:
 - 8232 DECT Handset Desktop charger PSU Europe (3BN67335AA)
 TenPao (Model S005AYV0500100) efficiency level VI (rating I/P:AC 100-240V, 0.2A; O/P: DC 5V, 1A).
 - Friwo FW7713/XX efficiency level V (rating I/P:AC 100-240V, 150mA; O/P: DC 5V, 1A).
 - 8232 DECT Handset Desktop charger PSU WW (3BN67336AA)
 TenPao (Model S008ACM0500100 with UK,US,AUS plugs) efficiency level VI (rating I/P:AC 100-240V, 0.3A; O/P: DC 5V, 1A).
- Friwo FW7712 efficiency level V (rating I/P:AC 100-240V, 125mA; O/P: DC 5V, 0.9A).
- You can charge the device by connecting it to a USB 2.0 port (type A).
- To prevent possible hearing damage, do not listen at high volume levels for long periods.

The labels and icons presented in this document are not contractually binding and may be modified without prior warning. The labels and icons displayed on your phone depend on the system to which you are connected and may differ from those specified in this document.

8AL90306USACed05 2 /57



1	Getting to know your telephone	5
1.1	Phone description	5
1.2	Status icons	7
1.3	MENU icons	8
1.4	Call icons	9 10
1.5 1.6	Accessing the MENU and navigating Handset in icon display mode	11
2	Getting started	12
2.1	Installing the battery in the telephone	12
2.2	Installing the memory card	13
2.4	Charging your telephone battery	14
2.5	Switching on your telephone	15
2.6	Switching off your telephone	15
3	Using your telephone	16
3.1	Making a call	16
3.2	Calling from your personal directory	16
3.3	Calling your caller by name (company directory)	17
3.4 3.5	Receiving a call Redialing	17 18
3.6	Requesting automatic callback if internal number is busy	18
3.7	Sending text message if internal number is busy	18
3.8	Speaking on the loudspeaker of a busy internal contact	19
3.9	During a conversation	19
4	During a conversation	20
4.1	Make a second call	20
4.2	Receiving a second call	20
4.3	Switching between two calls (Broker call)	21
4.4	Transferring a call Three way conference with internal and/or external callers (conference)	21 22
4.5 4.6	Three-way conference with internal and/or external callers (conference) Placing an outside call on hold (parking)	22
4.7	Activate/deactivate voice frequency	23
5	Sharing	24
5.1	Answering the general bell	24
5.2	Call pick-up	24
5.3	Hunting groups	25
5.4	Sending a written message to an internal contact	26
5.5	Send a voice message copy	26 27
5.6	Sending a recorded message to a number or a distribution list	
6	Keep in touch	28
6.1 6.2	Forwarding calls to another number (immediate forward) Different types of diversions / Example of diversion on busy	28 28
6.3	Diverting calls to your voice mailbox	28 29
6.4	Consulting your voice mailbox	30
6.5	Display an absence message	30
6.6	Program your associate number	31
6.7	Define an overflow number	31
6.8	Cancelling all forwards	32
6.9	Consulting text messages	32
7	Programming your telephone	33
7.1	Identify the terminal you are on	33
7.2	Initializing your voice mailbox	33
7.3 7.4	Change your voice mailbox password Adjusting the audio functions	34 34
	Activating headset mode	35




7.6 Adjusting your telephone functions	36
7.7 Selecting language	37
7.8 Programming your personal directory	37
7.9 Modifying a record in the personal directory	38
7.10 Erase a record from the personal directory	38
7.11 Programming an appointment reminder	39
7.12 Configure the F1, F2 and alarm keys	39
7.13 Calendar	40
7.14 Locking your telephone	43
7.15 Modifying your personal code	44
7.16 Configuring Bluetooth	45
7.17 Configure Dock settings	46
8 Live signal and notification management	47
8.1 Introduction	47
8.2 Notification calls	47
8.3 Key event calls	48
8.4 Force ringing	49
8.5 Calls	49
8.6 Alarm acknowledgment	49
9 Registering the telephone	50
9.1 Registering the telephone on a system for the first time	50
9.2 Registering the telephone on other systems	51
9.3 Selecting your DECT system	52
10 Accessories	53
10.1 Belt clip	53
10.2 Chargers and power supply	53
10.3 Dual Chargers	55
10.4 Characteristics of the mains power adapter	55
10.5 Presentation of the battery pack	55
10.6 Headphone / external microphone	56
10.7 Cleaning your telephone	56
10.8 Transporting and protecting your telephone	56
11 Declaration of compliance	57



1 Getting to know your telephone

1.1 Phone description

Your phone can be configured to display icons or labels for software key. All descriptions in this user documentation refer to the handset in icon display mode. To ensure that your set matches the documentation make sure the phone is configured correctly. Refer to chapter: Handset in icon display mode.



8AL90306USACed05 5 /57




9	 Green steady: the phone is on the charger and the battery is fully charged. Red steady: the phone is on the charger and the battery is charging. Slow yellow flashing: telephonic event such as unread message, missed call, etc. Rapid yellow flashing: incoming call. Slow red flashing: out of coverage. Rapid red flashing: low battery warning. Slow blue flashing: bluetooth is activated. Flashing when the phone is plugged into the charger means the same as when the phone is not plugged into the charger. 		
10	3.5 mm jack plug for headset and maintenance.		
11	 Short press: decrease the volume of ring tone during an incoming call (4 steps) or decrease volume of loudspeaker during a conversation (8 steps). Long press: activate/deactivate the mute feature. 		
12	 Short press: increase the volume of ring tone during an incoming call (4 steps) or increase volume of loudspeaker during a conversation (8 steps). Long press: activate/deactivate the loudspeaker. 		
13	Clip to hook your phone on your belt. You can remove the clip and instead use the cover that is provided in the phone package.		
14	Usb socket for charging the battery and upgrading the phone.		
15	 If configured this key can be used to lock your phone or to send a notification call to an alarm server. For more information contact your administrator. Can be programmed to lock/unlock the phone. 		
16	Back to homepage.		
17	Programmable keys (f1 and f2 keys).		
18	Depending on whether the device is in vibrate mode or ring mode, this key will have different effects. It is a shortcut to adjust the vibration/ring effect. Refer to the section about the audio key.		

8AL90306USACed05 6 /57

1.2 Status icons

The status icons are displayed on the welcome screen and indicate the status of the telephone.



Received messages, callback request and unanswered calls.

Indicates a pending calendar notification.

Appointment programmed.

Call diversion activated.

Vibrate mode active.

Ringer active.

Ringer disabled.

Radio reception quality.

Loudspeaker on (in conversation).

Mute on (in conversation).

Economy mode activated and used (green).

Economy mode activated (gray).

50 mW power.

Alarm active icon.

Bluetooth enabled.

Bluetooth connected to a device.

Bluetooth audio active with a connected device.

You can obtain details on the status icons from the tooltips that appear on the welcome screen when you use the navigator:





1.3 MENU icons

The MENU is accessible from the welcome screen by pressing the Menu key.



It provides access to all the functions available on your system. All icons are described in their unselected state. When selected, the icons are displayed in purple.

I— I—	Contacts:
î—	Manage your personal directory and access the company directory.
G	Dialed:
€ ₹	Call back the last number dialed.
	Call log:
6≣	Access the log of all incoming and outgoing calls.
	Forward:
(-	Divert your calls to another number.
$\succ \!$	Messages:
~~	Consult and send voice and text messages.
	Alarms:
74	Program a call-back time.
	Lock:
1	Lock/unlock the set.
	Services:
	Access the services configuration of the handset (associate, overflow, password, name, number,
	etc.).
. 5.0	Settings:
O	Access the general settings of the phone (key sound, economy mode, charger warning,
44.	programming of F1 and F2 keys, etc.).
	Manager/Assistant.
3	Language:
	Choice of language.
3	Ring:
(6)	Ringing setting.
-	Calendar:
::::	Access the calendar.
344	Alarm Set:
*	Alarm settings menu (Password protected).
	Alarm ack:
-	Access the alarm acknowledgment services.
	·

8AL90306USACed05 8 /57



1.4 Call icons

	Making a call.
	Receiving a call.
50	Call on hold.
1— 1—	Accessing the directories.
1	Transferring a call.
	Switching to DTMF signals.
11	Setting up a conference.
٥٥	Forwarding your calls to your voice message service.
(~)	Parking an external communication.
<u>(-)</u>	Call duration and cost.
+	Additional options (Features depending on the system).

In the event of a multiple call, the icons have symbols (such as numbers) to distinguish between the different callers.

Example: first call is on hold, second call is ongoing



8AL90306USACed05 9 /57



1.5 Accessing the MENU and navigating

Access the menu.	Press the Access menu key.	
Select a function in the MENU.	Use the navigator keys and press the OK key to select a function.	
Navigating within a function.	You can move vertically along the various labels within the function Press the OK key to validate your choice.	O Abcd Abcd Abcd Abcd
	You can move horizontally along the various icons within the function Press the OK key to validate your choice.	Abcd Abcd


8AL90306USACed05 10 /57



1.6 Handset in icon display mode

Your phone can be configured to display icons or labels for software key. All descriptions in this user documentation refer to the handset in icon display mode. To ensure that your set matches the documentation make sure the phone is configured correctly.

To activate the icon display mode:



8AL90306USACed05 11 /57



2 Getting started

In order to have a fully operational 8242 DECT Handset, make sure that you have the following items: the battery, the AC/DC adapter, the power supply and the USB cable.

2.1 Installing the battery in the telephone

• Installing the battery in the telephone:

If the belt clip is installed, you must lift it up and maintain it in this position during the battery installation or replacement.	
Lift up the cover.	B
Position the battery 'connectors' side as shown in the drawing (A). Terminate the installation of the battery in its compartment by pressing as shown in the drawing (B).	A STATE OF THE PARTY OF THE PAR
Replace the cover.	B

• Removing the battery from the telephone

If the belt clip is installed, you must lift it up and maintain it in this position during the battery installation or replacement.	
Lift up the cover.	JEA JB
Remove the battery from its compartment as shown in the drawing.	A D D D D D D D D D D D D D D D D D D D

8AL90306USACed05 12 /57



2.2 Installing the memory card

The handset SD card stores handset configuration data and, depending on your system, may also store subscription data. Please refer to the system administrator for more details. The SD card allows up to 500 contacts and 200 messages.

You must be in possession of the memory card for your phone.

The supported Micro SD memory cards are:

- Kingston: 2, 4, 8 & 16 GB Class 4 & 10,
- Trancend 2, 4, 8 & 16 GB Class 4 & 10.

Switch off the handset.	0
If the belt clip is installed, you must lift it up and maintain it in this position during the battery installation or replacement.	
Lift up the cover.	JEA B
Remove the battery from its compartment as shown in the drawing.	A CONTRIBUTION OF THE PARTY PROPERTY AND A CONTRIBUTION OF THE PARTY PROPERTY PROPER
Slide in the memory card from under the two small crescents and press it as shown in figure	Account of the control of the contro
Position the battery 'connectors' side as shown in the drawing (A). Terminate the installation of the battery in its compartment by pressing as shown in the drawing (B).	B
Replace the cover.	B
Switch on the handset	0

Dropping the handset may cause the memory card to dislodge inside the handset. When this happens, the user will be warned via an audible warning signal every 5 seconds, and the message 'Check memory card' is given. Please insert the memory card correctly in the handset.

8AL90306USACed05 13 /57

2.4 Charging your telephone battery



2.4.1 Charging the battery on a single charger

Put your phone on its support. Plug the USB cable into the 5V socket of the desktop charger. Plug the other end of the USB cable into the AC/DC adaptor. Plug the AC/DC adaptor into the mains power supply.

- Green steady: the phone is on the charger (or connected to the USB cable) and the battery is fully charged.
- Red steady: the phone is on the charger and the battery is charging.

You can configure how the handset behaves when it is installed on the charger using the settings menu. Refer to the chapter on configuring your telephone.

2.4.2 Charging the battery on a dual charger

Place the handset front forward into the Dual Charger upper slot. Place a spare Battery Pack in the front slot, charging contacts down.

To remove the spare battery, push down on the front button.

- Green steady: the phone is on the charger (or connected to the USB cable) and the battery is fully charged.
- Red steady: the phone is on the charger and the battery is charging.

You can configure how the handset behaves when it is installed on the charger using the settings menu. Refer to the chapter on configuring your telephone.

8AL90306USACed05 14 /57

2.4.3 Charging the battery with a USB cable



Plug the USB cable into the USB port of your phone. The other end of the USB cable can be plugged into the AC/DC adaptor or into a computer USB port.

You can also charge your phone from any USB plug, such as a computer USB plug. However, the charging time is longer than charging with the AC/DC adapter. Charging time depends on the power source where the cable USB is plugged (computer, AC/DC adapter, ...).

2.4.4 LED

- Green steady: the phone is on the charger (or connected to the USB cable) and the battery is fully charged.
- Red steady: the phone is on the charger and the battery is charging.

Recharge your telephone battery regularly. The telephone can be on or off when recharging the battery. If the telephone is to remain unused or out of its charger for several weeks, remove the battery and store it separately.

The battery charging time is less than 3 hours. The charging time is longer if charging through the USB plug from a device other than the AC/DC adapter.

2.4.5 Autonomy of your telephone

On standby in the radio coverage zone. Up to 160 hours.

In continuous conversation. Up to 20 hours if economy mode is activated, 17 hours if economy mode is not activated.

Switch off the telephone before changing the battery.

2.5 Switching on your telephone

- Press the switch on/off key (long press).
- Your telephone is switched on.



If the display fails to light up or the battery icon is flashing, recharge the battery.

If the radio reception icon doesn't appear on the telephone display:

- Check that you're in an area covered (if you're not, move close to a radio base station).
- Check that the telephone is properly installed in the system (consult the PABX manager).

If the display indicates: 'Auto install'?', see paragraph 'Registering the telephone' or contact your installation technician.

2.6 Switching off your telephone

- Press the switch on/off key (long press).
- Select the switch off feature.
- · Your telephone is switched off.



8AL90306USACed05 15 /57



3 Using your telephone

3.1 Making a call



You are in communication:



To make an external call, dial the outside line access code before dialing your contact number

3.2 Calling from your personal directory

	Access MENU.
1— 1—	• Contacts
	Personal Dir Validate access to the 'personal directory '.
	Select the name of the person you wish to call.
\	Send the call.

Quick access: Q.

8AL90306USACed05 16 /57



3.3 Calling your caller by name (company directory)

	Access MENU.
1— 1—	Contacts
	Phone Book
7 8	 Enter the first letters of the name, name-first name or the initials of your caller. Apply.
	Select the type of search you want (last name, last name and first name or initials).
	Select the desired name.
\	Send the call.

Name must be entered in format name / space / first name.



For fast access to this function from the home screen page, press the directory key...

3.4 Receiving a call

You are receiving a call.

	•	Answered incoming calls.
***	•	Disabling the ringer: press the hang up key when your telephone rings: it is still possible to answer by pressing the off hook key.
Speak.		
•	•	Hang up.

The ringer does not ring if:

- The vibrate mode is active, the vibrate mode active icon is displayed on the screen saver.
- The ringer is disabled, the ringer disabled icon is displayed on the screen saver.

8AL90306USACed05 17 /57



3.5 Redialing

3.5.1 Redialing the last number dialed (redial)

ੂ	•	Access MENU.
	•	Call log

3.5.2 Call back one of the last numbers dialed

≡	Access MENU.
	• Dialed
	Select the number in the list.
	Send the call.

3.6 Requesting automatic callback if internal number is busy

The telephone of the internal caller you are trying to contact is busy, and you want the person to call you back as soon as they are free.



· Call back.

To cancel the automatic callback request, enter the 'Cancel automatic callback' function code.

3.7 Sending text message if internal number is busy

The telephone of the internal contact you are trying to contact is busy and you want to leave them a text message.



• Text Mail



- Select the type of message to send (Fixed Messages, Prg Messages, New Message).
- Follow information displayed on the screen.



3.8 Speaking on the loudspeaker of a busy internal contact

In some cases, you might have to broadcast on the loudspeaker of a busy contact. This feature must be configured by the administrator.




- LS announce
- You can talk, your contact will hear you on their loudspeaker.

3.9 During a conversation

During a call and without losing the connection, there are several ways to access the options offered by your system, using:

- The list of icons at the top of the screen.
- The list of items at the bottom of the screen.




8AL90306USACed05 19 /57



4 During a conversation

4.1 Make a second call



Recover the call on hold:


*	•	Hang up.
	•	Your telephone rings.
	•	Recover the call on hold.

You can also initiate another call by using the 'Enquiry call' feature.

4.2 Receiving a second call

You are in conversation and a caller is trying to contact you:

A beep is sent and the caller's name is displayed for 3 seconds.



Over 3 seconds, move with the navigate-left-right key to the receiving a second call icon, to see the identity of the second caller (and off-hook if necessary).

8AL90306USACed05 20 /57



4.3 Switching between two calls (Broker call)

During a call, to recover the caller on hold:



Recover the call on hold.

You can establish the identity of the waiting call without taking it by using the navigate-left-right key.



• Display the caller's identity.



· Recover the call on hold.

4.4 Transferring a call

During a conversation, to transfer the call to another number:

You are in communication with a first caller:



Call the recipient of the transfer.



• Send the call.

You are in conversation with the destination number:



Transfer.

The two callers are connected.

After dialing the number of the recipient, you can use 'Transfer' to transfer the call directly without waiting for the person to answer. The transfer between two external parties and the transfer action by the on-hook key depends on the system configuration.

8AL90306USACed05 21 /57



4.5 Three-way conference with internal and/or external callers (conference)

During a conversation, a second call is on hold:



- Conference.
- You are in conference mode.

Cancel conference and return to first caller (If conference is active):



End conference.

After the conference, to leave your two callers talking together:



Your two callers are in conversation

This feature needs setting up. If necessary, contact your system administrator.

Please note that the cost of the call between the parties remaining after you have left the conference will be charged to your account.

4.6 Placing an outside call on hold (parking)

You can park an outside caller in order to take the call on another set.

You are holding an external conversation.



Park



Number to be called.

Your caller is parked and hears the hold melody.

If you on-hook without entering the number of a call park destination set, the call will be parked on your set.

To recover your parked call:



Access MENU.



Services.



Services.



- Pick up services
- Park/retrieve

You are on a call.

If the parked call is not recovered within a preset time (by default 1 minute 30), it is directed to the operator. However, this preset time can be modified by your administrator.

8AL90306USACed05 22 /57



4.7 Activate/deactivate voice frequency

This feature depends on the system configuration. If necessary, contact your administrator. During a call, you sometimes have to send DTMF signals, for example, for a voice message service, an automatic switchboard or when remotely consulting an answering machine:



The function is automatically cancelled when you hang up. During a conversation, you can activate and deactivate the DTMF mode by pressing the * key (long press).


8AL90306USACed05 23 /57



5 Sharing


5.1 Answering the general bell

When the operator is absent, incoming external calls are diverted to a general bell. You can answer these calls:



5.2 Call pick-up

You hear a telephone ringing in an office where no-one can answer. If authorised, you can answer the call on your own telephone.



8AL90306USACed05 24 /57



If the telephone ringing is not in your pick-up group:

• Ext pick up

• Dial a Number
• Enter number of ringing telephone.
• Apply.

If the telephone ringing is in your own pick-up group:

• Group pick up

The system can be configured to prevent call pick-up on certain telephones.


5.3 Hunting groups

5.3.1 Hunting group call:

Some phone sets can be associated to form a group. You can contact any one of them by dialling the group number.

Belonging to a group does not affect the management of direct calls. A specific telephone within a group can always be called by using its own number.

5.3.2 Temporary exit from your hunting group: / Return into your group:



8AL90306USACed05 25 /57



5.4 Sending a written message to an internal contact

	Access MENU.
\bowtie	Messages
(B)	New Text MsgConfirm.
	Send a Message ?Confirm.
7 8	 Dial the number of your caller (dial, directories, last numbers dialed). Confirm.
	 Select the type of message to send (<i>Fixed Messages, Prg Messages, New Message</i>). Follow information displayed on the screen.
If selecte	d message has to be completed:
	Confirm access to the message to be completed.
ghi şki	Complete the message.Apply.

When editing a message to be completed you can use the delete key to delete any entered characters. The browser lets you move the cursor in an input field.

5.5 Send a voice message copy

≡	Access MENU.
$\geq <$	Messages
⊕	 New voicemsg Confirm access to the voice mailbox.
4 5 7 8	Enter your personal mailbox password.Confirm.
Listen to the message to send and follow the voice guide instructions.	

8AL90306USACed05 26 /57



5.6 Sending a recorded message to a number or a distribution list

宣	Access MENU.
\bowtie	Messages
⊕	 New voicemsg Confirm access to the voice mailbox.
7 8	Personal code.Confirm.
Follow th	e instructions of the voice guide.

8AL90306USACed05 27 /57



6 Keep in touch

6.1 Forwarding calls to another number (immediate forward)

The number can be your home, mobile, voice mailbox or an internal extension (operator, etc.).

	Access MENU.
C -	 Forward Confirm access to immediate diversion.
(B)	Fwd Immediate
	Activate Fwd / Modify Fwd
7 8	 Dial the number of your caller (dial, directories, last numbers dialed). Confirm.

You can continue to make calls while your telephone is diverted.

General remark concerning diversions: you can only activate a single diversion on your telephone.

Programming a new diversion will cancel the previous one.

6.2 Different types of diversions / Example of diversion on busy

6.2.1 Different types of diversions

You can initiate different types of forwarding from the call forward list.

≣	Access MENU.		
(-	 Forward Confirm access to immediate diversion. 		
?	Select the 'List of diversions' icon.		
	Fwd on Busy	When you are in conversation, all your calls are diverted to the number you choose.	
	Fwd On No Rep	When you are absent, all your calls are forwarded to the number of your choice (delayed forwarding on no answer).	
	Fwd Busy/NoRep	When you are absent or already in communication, all your calls are forwarded to the number of your choice (delayed forwarding on no answer or busy).	
	Remote Forward	Program the forwarding of a set from another set (immediate remote forwarding) A typical use of this feature is to program a forward from your set to another set from a third set.	

8AL90306USACed05 28 /57



6.2.2 Example of diversion on busy

≡	Access MENU.
C -	 Forward Confirm access to immediate diversion.
?	Select the 'List of diversions' icon.
	Fwd on Busy
7 8	 Dial the number of your caller (dial, directories, last numbers dialed). Confirm.

6.3 Diverting calls to your voice mailbox

≡	Access MENU.
(-	Forward
	 Fwd Immediate Voice Mail Confirm.

8AL90306USACed05 29 /57



6.4 Consulting your voice mailbox



When you have received a message, the Message icon is displayed on the welcome screen. The orange LED on your telephone flashes to indicate there is a message.



• The number of new vocal messages is displayed in the phone notification area.

<u>OR</u>



Access MENU.



Messages



- Voice Mail
- · Confirm access to the voice mailbox.



• Enter your personal mailbox password.



- Confirm.
- Follow the instructions of the voice guide.

Please refer to the administrator for your password.

6.5 Display an absence message

When you are absent you can program an absence message that will be displayed on the caller's phone when they call you.

≡	Access MENU.
(-	Forward
●	 Absence Msg Confirm.
	Select the message type between predefined messages, messages to complete and message to create.
(OK)	• Confirm.

8AL90306USACed05 30 /57



6.6 Program your associate number

The associated number can be a phone set number, the voice mail number or the pager number. It can be used as overflow number.

≣	Access MENU.
	• Services
PROG	
(in the second s	Associate
(OK)	• Apply.
	• Modify
[4	 Dial the number of your caller (dial, directories, last numbers dialed). Confirm.

6.7 Define an overflow number

When your set is not available, outside the coverage area or not working, calls to your set will be automatically forwarded to this number if it has been defined.

≡	Access MENU.
•	• Services
PROG	
	• Overflow
(GK)	• Apply.

8AL90306USACed05 31 /57





Modify



- Dial the number of your caller (dial, directories, last numbers dialed...).
- Confirm.

6.8 Cancelling all forwards



Access MENU.



Forward



- Select the 'Diversion cancellation' icon.
- Confirm.

6.9 Consulting text messages



When you have received a message, the Message icon is displayed on the welcome screen. The yellow LED on your telephone flashes to indicate there is a message.



• The number of new vocal messages is displayed in the phone notification area.

<u>OR</u>



Access MENU.



Messages



Text Mail



• Confirm.



- Select the desired message.
- Confirm to read it.

Read the message



- Confirm access to 'Options'.
- From the options menu, you can erase the message, callback the message sender, answer the message or read the next message.



• The message icon disappears once the message has been read.

8AL90306USACed05



7 Programming your telephone

7.1 Identify the terminal you are on



• Displays your telephone number (long press).

7.2 Initializing your voice mailbox

Before starting initialization, make sure the administrator has created a voice mailbox.

(es) ao	You can use the Message icon on the welcome screen to initialize your voice mailbox.
<u>OR</u>	
≣	Access MENU.
$\geq <$	Messages
6	 Newmsg Confirm access to the voice mailbox.
7 8	 Enter your temporary password. Enter your new password. Record your name.
#	
#	End of recording.Follow the instructions of the voice guide.

8AL90306USACed05 33 /57



7.3 Change your voice mailbox password

≡	Access MENU.
•	Services
PROG	
	Password
4 5 7 8	 Enter the old password. Enter the new password. Enter new password again to confirm. Apply.


Please contact your administrator for your initial voice mailbox password. Each digit of the code is symbolized by an asterisk.

7.4 Adjusting the audio functions


You can select the ring tone for your telephone (6 choices) and adjust its volume (4 levels).

Ξ	•	Access MENU.
	•	Ring

7.4.1 Choose the tune



7.4.2 Adjusting the ringer volume



8AL90306USACed05 34 /57



7.4.3 You can adjust the buzzer/ringer mode according to your needs

•		
Р.		
	_	
Р.	-	
	_	

• Press on the ringer/vibrate key.



• Off: Ringer and buzzer are deactivated.

- Ring only: Rings only.
- Vibrate then ring: The handset vibrates and then rings.
- Vibrate only: The handset vibrates and doesn 't ring.
- Vibrate and ring: The handset vibrates and rings simultaneously.



This key can be used to switch rapidly from the ringer to the vibrate mode and vice-versa. Long press: Activate/deactivate vibrate feature (if the option is enable in settings: 'Vibrator Shortcut').

7.4.4 The Audio key

The audio key is a shortcut key allowing you to change the vibrate/ring configuration quickly.

Pressing this key will change the vibrate/ring mode: /

Current audio state	First short press	Second short press
Off	Ring only	Off
Ring only	Off	Ring only
Vibrate then ring	Ring only	Vibrate then ring
Vibrate only	Vibrate and ring	Vibrate only
Vibrate and ring	Ring only	Vibrate and ring

7.5 Activating headset mode

You can use a headset with your phone. If you want the headset to ring only when receiving an incoming call, you must activate the headset mode:

	Access MENU.
	• Settings
	Headset mode
•	• On

When activated only the headset rings (if plugged in).

8AL90306USACed05 35 /57

7.6 Adjusting your telephone functions

Ξ	•	Access MENU.
	•	Settings
	•	Select the function* you want and use the On/Off softkeys to activate or deactivate the function.
• 0	R	
	•	Select the function* you want and press the OK key to enter the function menu to configure the function.
A	•	Return to idle.

- * *You can activate or disable the following functions:
- Status To show Handset information such as the software version, the battery level, etc.
- Ascending ringing) Activate or deactivate the ascending ringtone (Progressive ringing).
- Coverage warning) To activate or deactivate Bip emission when your phone is out of DECT area coverage.
- Charger warning) To activate or deactivate Bip emission when placing handset on charger.
- Low bat. warning) Activate or deactivate Bip emission when low battery level is reached.
- Key sound) Activate or deactivate the keypad tone.
- Message sound) When activated, a sound is played when you receive a new message.
- Confirmat. sound) When a setting is updated, a confirmation sound is played.
- Headset mode) Activate or deactivate the headset mode. When activated only the headset rings (if plugged in).
- Force calendar ring) Activate/deactivate an audio signal, regardless of the ringer setting, when you receive an appointment reminder.
- Economy mode) Activate or deactivate the economy mode. When the economy mode is activated, the set adjusts its radio emission power according to the distance between the set and the radio base. The closer the set is to the radio base, the lower is the radio emission from the phone. This means that the phone is not always emitting at full power and thus saves the battery.
- Vibrate/Ring) You can adjust the buzzer/ringer mode according to your needs.
- Vibrator Shortcut) Activate or deactivate the vibrate shortcut ().
- Lock To activate or deactivate a timeout to trigger the automatic keylock.
- Reset settings) Reset the setting and go back to the default settings.
- Select System > To select any administrator-defined DECT network for your handset or auto. select.
- System settings) Administrator access to system configuration.
- Keys) To access the configuration and programming of handset keys.
 - 2s key repeat > For people with a disability, increases the repeat-key delay for the dial by name feature.
- Forced ringing) You can configure the forced ring of the incoming alarms sent by the alarm server. When a call from the alarm server is received, the handset always rings regardless of the handset settings.
- Language > Choose a language other than system language.
- Dock settings > Define how the phone behaves when installed in its charger dock.
- Bluetooth® Access the Bluetooth® feature (enable/disable, search for devices, etc.).
- AGC) Activate or deactivate automatic gain control to enhance the sound depending on the quality of the audio signal.



7.7 Selecting language

≡	•	Access MENU.
	•	Language
	•	Select the language of your choice. Apply.

The initial language selection is made automatically by the system.

7.8 Programming your personal directory

Your personal directory can contain up to 42 numbers.

≣	Access MENU.
1— 1— 1—	Contacts
(OK)	Personal Dir
	Position the cursor on an existing record.Apply.
	Create
A gh S par	Enter the name.Apply.
4 5 7 8	Enter the number.Apply.

To key in the name: the keys in the keypad include letters that you can display by pressing them successively.

Example: press '8' twice to display the letter 'U'.

Press the # key to switch from lowercase letters mode to uppercase letters mode, and from uppercase letters mode to numbering mode.

8AL90306USACed05 37 /57



7.9 Modifying a record in the personal directory

\equiv	Access MENU.
1— 1— 1—	Contacts
(B)	Personal Dir
(OR)	Select the record to be modified.Apply.
	Modify
gh ki	Modify the name (14 characters maximum).Apply.
4 5 7 8	Modify the number.Apply.

Press the # key to switch from lowercase letters mode to uppercase letters mode, and from uppercase letters mode to numbering mode. Use the browser to position on the character or digit to modify.

To delete a character, briefly press the delete key. To erase a field full of characters, hold down the erase key (long press).

7.10 Erase a record from the personal directory

≣	Access MENU.
1— 1—	• Contacts
(SK)	Personal Dir
	Select the record to erase.Apply.
	• Delete
(N)	Confirm.

8AL90306USACed05 38 /57



7.11 Programming an appointment reminder

≣	•	Access MENU.
	•	Alarms
(S)	•	Set appointment
7 8	•	Enter the time of the appointment. Apply.
7 8	•	Where appropriate, dial the number of the destination set. Apply.

At the programmed time, your telephone rings:

Press the On-hook key to accept the appointment.

To cancel your appointment call-back request:

≣	•	Access MENU.
	•	Alarms
(S)	•	Cancel appointm
7 8	•	Apply.

7.12 Configure the F1, F2 and alarm keys

A lock, speed dial, alarm acknowledgment or notification event (if authorized) feature can be associated with the F1 and F2 keys. Once configured these features can be accessed by a short or a long press.

The lock/unlock feature can be associated with the alarm key.

7.12.1 Define the feature to associate with the F key.

	Access MENU.
	• Settings
(in the second s	• Keys
(OK)	 Set the kind of feature (call or lock feature) you want to associate with each key and key press (short or long).

8AL90306USACed05 39 /57



7.12.2 Associate a lock/unlock feature with the alarm key.

≡	Access MENU.
	• Settings
	• Keys
(S)	Alarm (long press).
(in the second s	Lock/unlock

7.12.3 Set the numbers to be called

≡	Access MENU.
	• Settings
	Keys
(B)	Call Configuration
(B)	 For each key and the kind of press (short or long), enter the name and the number of the contact you wish to associate with the F key.

7.13 Calendar

You can consult and manage an agenda on your phone.

7.13.1 Modify the agenda format

Access MENU.
Access the agenda menu.
 More View week > View of the week. View month > View of the month.

8AL90306USACed05 40 /57



7.13.2 Programming an appointment reminder

≣	Access MENU.
	Access the agenda menu.
	• Add
4 \ 5 \ 7 \ 8	 Enter date. Save Enter the beginning time. Save
(in the second s	 Choose the duration of the appointment. Select
gy S	 Enter the subject of the appointment (this field can be left empty). Save Enter the place of the appointment (this field can be left empty). Save
(i)	 Define when the reminder will be activated before the appointment. Select

When entering a text, a minimum of one character is required. Symbols can be inserted using the symbol software key and characters can be deleted using the back key or the clear software key.

7.13.3 View the details of an appointment

≣	Access MENU.
	Access the agenda menu.
	Select a date (Month view only).
٠	 View (Month view only). View the agenda for the selected date (Month view only).
	 Select the appointment of the day (in month view) or the appointment of the week (in week view).
•	• View

A scheduled date is framed and has a checkmark.

8AL90306USACed05 41 /57



7.13.4 Modify an appointment reminder

≡	Access MENU.
	Access the agenda menu.
	Select a date (Month view only).
	View (Month view only).
•	 View the agenda for the selected date (Month view only).
(S)	 Select the appointment of the day (in month view) or the appointment of the week (in week view).
	• View
•	• Edit

7.13.5 Copying an appointment reminder

\equiv	Access MENU.
	Access the agenda menu.
	Select a date (Month view only).
	View (Month view only).
•	 View the agenda for the selected date (Month view only).
	 Select the appointment of the day (in month view) or the appointment of the week (in week view).
	• View
	• More
	 Copy
	Change the appointment by filling in the fields as described in the creation of ppointments

8AL90306USACed05 42 /57



7.13.6 Delete an appointment reminder

≡	Access MENU.
	Access the agenda menu.
	Select a date (Month view only).
	View (Month view only).
•	View the agenda for the selected date (Month view only).
(R)	 Select the appointment of the day (in month view) or the appointment of the week (in week view).
	View
	• More
	Delete

7.13.7 Delete an appointment reminder

≣	Access MENU.
::::	Access the agenda menu.
•	More
(OK)	Delete
	Select the appointment.
•	Confirm deletion.

7.14 Locking your telephone

Locking features on your terminal

This service enables you to prohibit outside calls and any programming changes on your telephone:



8AL90306USACed05 43 /57



Unlocking features on your terminal:

≣	Access MENU.
	• Lock
(OK)	• Apply.
7 8	Personal code (Please refer to the administrator for your password).
(OR)	• Apply.

Locking your terminal

This service enables you to prevent your phone being used.



• Press the switch on/off key (long press).



Select the lock option.

Unlock your terminal:



• Press the switch on/off key (long press).

7.15 Modifying your personal code

≣	Access MENU.
	Services
PROG	
	Password
7 8	Enter the old password (Please refer to the administrator for your password).
7 8	Enter the new password (Twice).
	Confirm.

8AL90306USACed05 44 /57



7.16 Configuring Bluetooth

7.16.1 Enable/Disable Bluetooth

≡	Access MENU.
	• Settings
(in the second s	Bluetooth
	Enable Bluetooth?
	• Yes/No

When enabled, the unconnected Bluetooth icon is displayed () and the Led flashes blue slowly.

7.16.2 Pairing Bluetooth devices

This feature is used to detect Bluetooth devices and to pair them.

≡	Access MENU.	
	• Bluetooth	
	Search for devices	
	Search for devices	
	Once the device is listed and named, you can launch the pairing on the device.	
	Pair	
	Once paired, the message 'Bluetooth connection established' is displayed on the screen and the Bluetooth connected icon is displayed.	

To manage the pairing, the Bluetooth® device must be in detectable mode. Refer to your Bluetooth® device documentation to find out how to activate detectable mode.

8AL90306USACed05 45 /57



7.16.3 Managing paired devices

This option allows you to list and to manage devices paired to the phone (up to 4 compatible devices).

≣	Access MENU.
	• Settings
	Bluetooth
	Paired devices
	The paired devices are displayed on the screen. The dotted device is the connected device. When selecting devices, you can connect/disconnect or change name, delete, delete all and see info details via the more menu.

7.17 Configure Dock settings

You can define how your phone behaves when it is intalled in the charger dock.

≣	Access MENU.	
	• Settings	
(B)	Dock settings	
®	 Select from: Power on in dock: if set to yes, the handset will switch on when installed on the charger (if phone is switched off). Backlight on pickup: if set to yes, backlight of the display will switch on when handset picked up from the charger. Off hook on pickup: if set to yes, handset answers a call when picked up from the charger. Display lighting: if set to Off, screen remains off whatever the event (incoming call, message, voice mail, reboot). 	
7 8	Personal code.	
(OR)	Apply.	

8AL90306USACed05 46 /57

8 Live signal and notification management

8.1 Introduction

Your handset offers services such as live calls, notification calls, event keys or status calls. These services must be activated and configured by your administrator. Please contact your admnistrator before using these services.

Only notification and event calls can be initiated by the user. Live signals and status calls are transparent to the user as these calls are automatically made by the handset.

- Live signals:
 - Live signals are calls that are made automatically (every 90 seconds by default) by the handset to the notification server. The information sent to the notification server allows the server to confirm that the handset is under coverage and is working.
- · Notification calls:
 - Notification calls are initiated by the user of the handset. They are used to notify the server of emergencies such as injuries or material damage when specific keys are pressed. Refer to the 'Notification calls' chapter in the user guide for information on how to initiate a notification call.
- Key event calls:
 - Key event calls are also initiated by users when pressing particular keys on the numeric keypad. These are designed to notify the server that certain tasks have been completed, for example, 'room is ready' in the case of a hotel application.
- Status calls:
 - Status calls are automatically established by the handset each time the handset is plugged into or removed from the charger and each time the handset is switched on and off.

8.2 Notification calls

These calls are designed to send alarm signals easily in emergency situations. Typically, emergency situations involve injuries or material damage and have highest priority among all other alarm events and calls.

Notification calls are made by a long press on the following keys:



Press the function key (side key) to activate the emergency notification call.

<u>OR</u>



Press the OK key to active the emergency notification call. depends on configuration.

The handset is communicating with the alarm server. The message that appears on the handset display will depend on your system configuration.

The normal call processing message is displayed on the screen and, depending on the configuration, the user may receive an acknowledgement or in conference message.

The notification calls are priority calls and can be performed in any handset status. Handset statuses are: idle, conversation, dialling, calling, configuration, put in charger, removed from charger. Any active call will

8AL90306USACed05 47 /57



be terminated as soon as a notification call is initiated. Notification calls will also interrupt any calls such as live, key event or status calls.

During the notification process, all user actions are ignored until communication is established with the alarm server. Then either the user or the alarm server can terminate the call and the handset will return to idle state and will be available to process any subsequent user calls.

8.3 Key event calls

This feature allows you to send an information message to the notification server by pressing particular keys on the numeric pad. This Key event call can only be performed when the handset is in idle state. A typical application of this feature could be to press a specific key when a room is ready in the case of a hotel application. Each long press on a different key will send a different message to the server.



• 1, 2, 3, 4, 5, 6, 7, 8, 9, 0 (long press).

After activating the key event process, the user should wait until communication is established with the alarm server before pressing any key, to ensure it is functioning correctly. Then either the user or the alarm server can terminate the call and the handset will return to idle state and will be available to process any subsequent user calls.

If configured in the key setting options, F1 and F2 keys can be used as key events. The use of these keys is equivalent to:

F keys	Equivalent keys
F1 short press	1
F1 long press	2
F2 short press	3
F2 long press	4

8AL90306USACed05 48 /57



8.4 Force ringing

Your phone may be in silent or vibrate mode. Despite this configuration your phone may ring when there is a specific call from an alarm server. While the handset is ringing, a message (maximum of 14 characters) may also appear on the phone display.

Select alarm modes for local alarm signaling and alarm calls from alarm server:



- Off: follow the current handset audio mode.
- Ring: ring for alarm regardless of the handset audio mode.
- Vibrate and ring: apply this behavior regardless of the handset audio mode.
- *Vibrate:* apply this behavior regardless of the handset audio mode.
- Beeps:beeps for alarm regardless of the handset audio mode.

8.5 Calls


While the phone is making such a call, the standard call processing message appears on the display and you are unable to receive or set up any other calls.

Notification calls have the highest priority over any other calls. In the event of a notification call, any other call will be interrupted. All keys will be locked during the notification process in order to avoid the activation of call back, consultation call, etc.

8.6 Alarm acknowledgment

After an alarm is triggered, the alarm server can set a location audio signal on the phone. This signal is designed to help rescue teams to locate the phone and its user.

The phone sends a location audio signal.



If the on-screen acknowledgment is configured you can directly acknowledge by pressing on the acknowledgment softkey when the 'Send Acknowledge' pop-up is displayed.

8AL90306USACed05 49 /57



9 Registering the telephone

9.1 Registering the telephone on a system for the first time

For the mobile telephone to function, it must be registered on at least one ALE International PBX. If, when first switched on, the display indicates: 'Auto install?' your telephone has not been registered on any system.

	Access MENU.
	• Settings
(S)	System settings
4) 5	Enter the PIN Code (The default is 0000).
7 = 8 =	Apply.
Registra	tion can begin
	Register
	Select a system (It is recommended that the first empty system is selected).
7 8	 Enter PARK code (enter nothing if not mandatory).
7 8	Press the 'OK' key to confirm.
7 8	 Enter access code (enter nothing if not mandatory).
7 8	Press the 'OK' key to confirm.
(OK)	 Select Power mode (You are advised not to select the 50 mW power mode unless required. The '50mW power mode' is intended for hazardous sites such as nuclear plants where it is requested that emissions do not exceed the maximum value.).
	Enhanced Security
•	Yes / No
	Call from encrypted system to un-encrypted system is accepted (yes) or rejected (no).

The registration operation can last up to 2 minutes.

- If the operation has been done correctly (subscription accepted), the radio reception quality icon is displayed and the telephone is ready to be used.
- If the registration operation has not been successful, the station proposes launching the subscription again.

Utilization of the telephone in GAP mode can lead to functional limitations for which no claims will be considered under the terms of the warranty.

During registration phase, to improve security and optimize registration in a multi-system environment, the handset enforces a minimum signal strength level to accept to register to a base station. To achieve the conditions, it is recommended to perform registration in a place where a base station is in direct visibility within a 20 m range. If base station is not visible the range shall be lowered.

During registration phase in a multi-system environment, all systems are scanned without priority. The system is selected when the signal strength is above a certain level and registration matches.

8AL90306USACed05 50 /57



9.2 Registering the telephone on other systems

The telephone can be registered on several systems (maximum of 4).

Note: the input is usually reserved for use with your main ALE International system. You can select the other inputs to register the telephone under another system (ALE International or other system).

To make a new registration, when the telephone has already been registered on one or more systems, proceed as follows:

_	-	r system for registration (see the system installation manual or consult your installation	
manager). 2. When the system is ready:			
	uie sy	Access MENU.	
		ACCESS MENU.	
Q	•	Settings	
	•	System settings	
4 5	•	Enter the PIN Code.	
7 - (8 -	•	Apply.	
	•	Register	
(S)	•	Select a system.	
4 5	•	Enter PARK code (enter nothing if not mandatory).	
7 - 8 -	•	Press the 'OK' key to confirm.	
4 5	•	Enter access code (enter nothing if not mandatory).	
7 8	•	Press the 'OK' key to confirm.	
	•	Select Power mode.	
	•	Enhanced Security	
•	•	Yes / No	
		Call from encrypted system to un-encrypted system is accepted (yes) or rejected (no).	
Launch s	ubscri	iption.	

- If the registration operation runs correctly (Subscription accepted), the telephone is ready for use, and the radio coverage icon appears.
- If the registration operation has not been successful, the station proposes launching the subscription again.
- Depending on the type of system concerned, registration may require one or more additional operations on the system.

During registration phase, to improve security and optimize registration in a multi-system environment, the handset enforces a minimum signal strength level to accept to register to a base station. To achieve the conditions, it is recommended to perform registration in a place where a base station is in direct visibility within a 20 m range. If base station is not visible the range shall be lowered.

During registration phase in a multi-system environment, all systems are scanned without priority. The system is selected when the signal strength is above a certain level and registration matches.

8AL90306USACed05 51 /57



9.3 Selecting your DECT system

Your telephone can be programmed to function on 5 different DECT systems (ALE International or GAP).

Ξ	Access MENU.	
	• Settings	
(B)	Select System.	
	Select network	
(S)	 Select the desired input (the chosen option is indicated by the radio button with a cent dot). 	ral
A	Return to idle.	

The selection is retained even after switching the telephone on/off. The selection of a specific system (SYSTEM...) forces operation on a specific system. This selection must be changed if one wishes to change system. Selecting 'Auto. select' enables the telephone to connect automatically when it enters a system coverage zone. If the systems programmed in the telephone have common coverage zones, the telephone selects the first system found.

8AL90306USACed05 52 /57

10 Accessories

10.1 Belt clip



When you purchase your phone, it is equipped with a belt clip on the back.



You can remove this belt clip and replace it with the cover provided in the box of your new phone.

- Turn the belt clip by doing a counterclockwise quarter turn.
- Remove the belt clip by pulling it towards you.



Put on the cover instead of the belt clip as shown in the picture.

Push the cover towards the back of the phone until the cover is clipped on.

10.2 Chargers and power supply

Your phone charger is supplied with the following equipment:



An AC/DC adapter made of a body and a separate plug head that clips onto the AC/DC adapator body.

The charger is provided separately.



A USB cable (provided with the charger).



A desk support for docking your phone.

8AL90306USACed05 53 /57



How to dock your phone on the desk support



Put your phone on its support. Plug the USB cable into the 5V socket of the desktop charger. Plug the other end of the USB cable into the AC/DC adaptor. Plug the AC/DC adaptor into the mains power supply.

How to dock your phone with the USB cable



Plug the USB cable into the USB port of your phone. The other end of the USB cable can be plugged into the AC/DC adaptor or into a computer USB port.

8AL90306USACed05 54 /57

10.3 Dual Chargers



The Dual Desktop charger includes:


1.a stand to house your telephone and additional battery and a charge indicator light for the additional battery.

2.a mains cable via an AC/DC adaptor.

Place the handset front forward into the Dual Charger upper slot. Place a spare Battery Pack in the front slot, charging contacts down.

- The handset battery charging time is less than 3 hours.
- The spare battery charging time is less than 6 hours.

To remove the spare battery, push down on the front button.



The power supply USB plug allows you to charge both the handset and the spare battery.

The Data USB plug allows you to charge the handset from any PC. In this case, only the handset is charged, the spare battery is not charged.

Charging time depends on the power source where the cable USB is plugged (computer, AC/DC adapter, ...).

10.4 Characteristics of the mains power adapter

Input: 100/240 V - 50/60 Hz.

• Output: 5V - 1A.

The mains power socket used must be close to the charger/holder and easily accessible, so that it can be used as an 'on/off' facility.

10.5 Presentation of the battery pack

10.5.1 Autonomy of your telephone

On standby in the radio coverage zone.	Up to 160 hours.
In continuous conversation.	Up to 20 hours if economy mode is activated, 17 hours if economy mode is not activated.

8AL90306USACed05 55 /57

10.5.2 Initial charge

Place the telephone in the charging holder.	
	Battery icon flashing.
	The battery is charged.

Maximum battery performance is only reached after around 10 charge/discharge cycles. These batteries contain polluting substances: do not dispose of them in a dustbin - take them to a specialized collection point.

10.5.3 Battery charge level

> 66%
33% - 66%
10% - 33%
< 10%

10.6 Headphone / external microphone

The side of the telephone features a 3.5 mm jack connector for headphone / external microphone. Contact your retailer for information on the various headphone models available.

10.7 Cleaning your telephone

Your telephone does not require any particular servicing. However, it may be cleaned using a soft, damp cloth.

Use appropriate soap or detergent to clean the surface of the telephone.

10.8 Transporting and protecting your telephone

To avoid losing your telephone, get into the habit of clipping it onto your belt. Your telephone can also be carried in a protective case.

Various models of carrying case are available. Ask your installation technician for information. It is vital to use the special protective carrying case if your telephone is to be used in an industrial environment (presence of dust, filings, vapours of diverse origins and risk of being dropped). If the telephone is used with a carrying case, the belt clip must be removed.

8AL90306USACed05 56 /57



11 Declaration of compliance

This equipment uses DECT frequency range that depends on country: 1880 - 1900 MHz in Europe, 1920 - 1930 MHz in US/Canada, 1910 - 1930 MHz in LATAM, 1910 - 1920 MHz in Brazil. The equivalent isotropically radiated power at the antenna is less than 110 mW or 250 mW (it depends on the country). This equipment offers also Bluetooth® Interface: frequency range 2402-2480 MHz, Radiated Power 1.72 mW. This equipment is in compliance with the essential requirements of Radio Equipment Directive (RED) 2014/53/EU and with Directive 2011/65/UE (ROHS).

Declaration of Conformity may be obtained from:

ALE International 32 avenue Kléber – 92700 Colombes, France

ebg_global_supportcenter@al-enterprise.com

USA and Canada

Handset: This device complies with Part 15 of the FCC Rules and with RSS of Industry Canada (FCC ID: T7HCT8121 IC: 4979B-CT8121). This device complies with Part 68 of the FCC Rules and with IC CS-03 Part V of Industry Canada. The ACTA registration number is: T7HW4NANCT8121.

Chargers: this device complies with Part 15 of the FCC Rules and with ICES-003 of Industry Canada. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Exposure to Radio Frequency Signals.

This device has been designed and manufactured not to exceed the SAR (Specific Absorption Rate) radio frequency power transmission limits established by the different countries concerned. The SAR value measured is equal to 0.158 W/kg (the globally accepted maximum limit being 1.6 W/kg).

User Instructions

Only use the handset in temperatures between -10°C to +40°C (14°F to 104°F). Only charge the battery at temperatures between +5 °C and +40 °C (41 °F and 104 °F).

Acoustic shock protection

Maximum sound pressure level for handset is compliant with European, US and Australian standards.

Directive 2003/10/EC specifying the risks inherent in noise at work

The ring contributes towards overall daily noise. To reduce the level, the following is recommended: reduce the setting, program a progressive ring.

Privacy

Privacy of communications may not be ensured when using the Bluetooth® handset or any additionnal Bluetooth® device.



Disposal

The equipment must be returned to a collection point for electronic equipment waste disposal.

Defective batteries must be returned to a collection point for chemical waste disposal.

Related Documentation

Other languages for these Safety and Regulatory Instructions and User Documentation are available at the following Web site https://www.al-enterprise.com/products.

The Alcatel-Lucent name and logo are trademarks of Nokia used under license by ALE. To view other trademarks used by affiliated companies of ALE Holding, visit: www.al-enterprise.com/en/legal/trademarks-copyright. All other trademarks are the property of their respective owners. The information presented is subject to change without notice. Neither ALE Holding nor any of its affiliates assumes any responsibility for inaccuracies contained herein. © 2020 ALE International. www.al-enterprise.com.

8AL90306USACed05 57 /57



11)	decrease volu	ecrease the volume of ring tone during an incoming call (4 steps) or me of loudspeaker during a conversation (8 steps). ctivate/deactivate the mute feature.
12	increase volur	ncrease the volume of ring tone during an incoming call (4 steps) or ne of loudspeaker during a conversation (8 steps). ctivate/deactivate the loudspeaker.
13		our phone on your belt. You can remove the clip and instead use is provided in the phone package.
(14)	Usb socket for	r charging the battery and upgrading the phone.
15		key to light up the screen when the phone is in idle state. ammed to lock/unlock the phone.
16	•	Back to homepage.
17	F	Programmable keys (f1 and f2 keys).
18	(f)	 Depending on whether the device is in vibrate mode or ring mode, this key will have different effects. It is a shortcut to adjust the vibration/ring effect. Refer to the section about the audio key.

Charging your telephone battery

How to dock your phone on the desk support

Put your phone on its support. Plug the USB cable into the 5V socket of the desktop charger. Plug the other end of the USB cable into the AC/DC adaptor. Plug the AC/DC adaptor into the mains power supply.

If you are using a dual charger, put your phone in the upper slot.

Charging the battery with a USB cable

Plug the USB cable into the USB port of your phone. The other end of the USB cable can be plugged into the AC/DC adaptor or into a computer USB port.

You can also charge your phone from any USB plug, such as a computer USB plug. However, the charging time is longer than charging with the AC/DC adapter.

LED

- In order to have a fully operational 8262 DECT Handset, make sure that you have the following items: the battery, the AC/DC adapter, the power supply and the USB cable.
- Red steady: the phone is on the charger and the battery is charging.

Charge the battery for about 3 hours before initial use.

Recharge your telephone battery regularly. The telephone can be on or off when recharging the battery. If the telephone is to remain unused or out of its charger for several weeks, remove the battery and store it separately.

The battery charging time is less than 3 hours. The charging time is longer if charging through the USB plug from a device other than the AC/DC adapter.



Status	s icons
	atus icons are displayed on the welcome screen and ethe status of the telephone.
	Battery charge level (> > > >).
	In charge (flashing icon).
	New event(s) - callback request, voice mail, text mail, missed call.
	Indicates a pending calendar notification.
	Appointment programmed.
(Call diversion activated.
₃⊒₃	Vibrate mode active.
((_))	Ringer active.
(1)	Ringer disabled.
	Radio reception quality - Normal Mode.
_,,,	Radio reception quality - 50 mW power.
◄ >))	Loudspeaker on (in conversation).
Z	Mute on (in conversation).
ell	Economy mode activated and used (green).
ell	Economy mode activated (gray).
	Alarm active icon.
*	Bluetooth enabled.
· * *	Bluetooth connected to a device.
*	Bluetooth audio active with a connected device.

You can obtain details on the status icons from the tooltips that appear on the welcome screen when you use the navigator:



MENU icons

The MENU is accessible from the welcome screen by pressing

the OK key. It provides access to all the functions available on your system. All icons are described in their unselected state. When selected, the icons are displayed in purple.		
i- i-	Directories: Manage your personal directory and access the company directory.	
G	Redial. Call back the last number dialed.	
6	Call log (GAP mode).	
C→	Divert your calls to another number.	
$\succ\!\!\prec$	Consult and send voice and text messages.	
B	Answer a call intended for another telephone.	
	Program a call-back time.	
	Lock/unlock the set.	
•	Access the services configuration of the handset (associate, overflow, password, name, number, etc.).	

Choice of language (GAP mode). Ringing setting (GAP mode). Alarm settings menu. Access the alarm acknowledgment services. Call icons Making a call. Call on hold. Accessing the directories. Transferring a call. Switching to DTMF signals. Setting up a conference. Forwarding your calls to your voice message service. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.	•	Access the general settings of the phone (key so economy mode, charger warning, programming and F2 keys, etc.).		
Access the alarm acknowledgment services. Call icons Making a call. Receiving a call. Call on hold. Accessing the directories. Transferring a call. Switching to DTMF signals. Setting up a conference. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.	6	•		
Making a call. Receiving a call. Receiving a call. Call on hold. Accessing the directories. Transferring a call. Switching to DTMF signals. Setting up a conference. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Calling sexternal missed calls. Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.		Ringing setting (GAP mode).		
Making a call. Receiving a call. Receiving a call. Call on hold. Accessing the directories. Transferring a call. Switching to DTMF signals. Setting up a conference. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Calling sexternal missed calls. Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.	•	Alarm settings menu.		
Making a call. Receiving a call. Call on hold. Accessing the directories. Transferring a call. Switching to DTMF signals. Setting up a conference. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.	! ~	Access the alarm acknowledgment services.		
Receiving a call. Call on hold. Accessing the directories. Transferring a call. Switching to DTMF signals. Setting up a conference. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.	Call ic	ons		
Call on hold. Accessing the directories. Transferring a call. Switching to DTMF signals. Setting up a conference. Forwarding your calls to your voice message service. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.		Making a call.		
Accessing the directories. Transferring a call. Switching to DTMF signals. Setting up a conference. Forwarding your calls to your voice message service. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.		Receiving a call.		
Transferring a call. Switching to DTMF signals. Setting up a conference. Forwarding your calls to your voice message service. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.		Call on hold.		
Switching to DTMF signals. Setting up a conference. Forwarding your calls to your voice message service. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.	<u>i</u>	Accessing the directories.		
Setting up a conference. Forwarding your calls to your voice message service. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.	11	Transferring a call.		
Forwarding your calls to your voice message service. Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.		Switching to DTMF signals.		
Parking an external communication. Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.	<u>_</u> Å	Setting up a conference.		
Additional options (Features depending on the system). Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.	مة		ervice.	
Features Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls.				
Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.	+			
Answered incoming calls. Redialing (long press). Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.	Featu			
Send the call. Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.				
Switching between two outgoing calls. Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.				
Ignore call. End the call. Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.				
Calling from your personal directory (PersSpDial). Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.				
Calling your caller by name (company directory). Programming your personal directory (PersSpDial). Call from call log (All incoming, outgoing, missed or unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.				
unanswered calls are displayed in the call log). Consulting external missed calls. Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.	Calling your caller by name (company directory).			
Consulting internal missed calls. Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.	unansw	vered calls are displayed in the call log).	<u></u>	
Consulting text messages. Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.				
Sending text messages. Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.				
Consulting your voice mailbox. Sending a recorded message to a number or a distribution list.				
Sending a recorded message to a number or a distribution list.	Sending text messages.			
Sending a recorded message to a number or a distribution list.				
	Sending a recorded message to a number or a			
			(*	

Diverting calls to your voice mailbox.	(**
Different types of diversions.	(+ ?
Automatic Message if no reply.	(→
Do not disturb.	1
Cancelling all forwards.	
Modifying your personal code.	PROG
Choice of language.	3
Choose the tune.	
Adjusting the ringer volume.	4 1))
Access the ringer and vibrate adjustment feature.	¥⊒≯
Your phone number.	① ①
Programming an appointment reminder.	E
Locking features on your terminal.	•
Define an overflow number. Define an associate number.	PROG
Access the handset settings menu (Device info, Coverage warning, Security,).	*

